



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323

<http://weather.gov/tampa>

PUBLIC INFORMATION STATEMENT

NATIONAL WEATHER SERVICE TAMPA BAY AREA - RUSKIN FL
330 PM EDT MON JUL 26 2010

...THIRD MONTH IN A ROW WITH AVERAGE TEMPERATURES IN THE TOP TEN WARMEST WHICH WILL LIKELY LEAD TO THE COMBINED MONTHLY AVERAGES OF THESE MONTHS BEING IN THE TOP TWO WARMEST...

AFTER A CHILLY START TO THE YEAR WITH THE FIRST THREE MONTHS COMBINED BEING EITHER THE COLDEST OR SECOND COLDEST SINCE RECORDS BEGAN ACROSS WEST CENTRAL AND SOUTHWEST FLORIDA...MAY...JUNE...AND NOW JULY 2010 HAVE SEEN A REVERSAL IN TEMPERATURES. TEMPERATURES AVERAGED 2 TO 4 DEGREES ABOVE NORMAL FOR MAY AND JUNE...AND ARE ON TRACK TO BE ABOUT 1 TO 2 DEGREES ABOVE FOR JULY. THESE AVERAGES PLACED MAY AND JUNE IN THE TOP TEN WARMEST ACROSS THE REGION WITH THE COMBINED MAY AND JUNE AVERAGE TEMPERATURE EITHER THE WARMEST OR SECOND WARMEST. NOW WITH THE END OF JULY JUST A FEW DAYS AWAY IT LOOKS LIKE WE WILL AGAIN SEE AVERAGE MONTHLY TEMPERATURES END UP IN THE TOP TEN WARMEST.

BELOW ARE LISTS OF THE TOP TEN WARMEST MAY`S...JUNE`S...AND JULY`S...AS WELL AS THESE MONTHS COMBINED FOR SEVERAL SITES ACROSS THE AREA...ALONG WITH THE AVERAGES FOR THESE TIME PERIODS.

INVERNESS:

WARMEST MAY`S

1	80.0	IN 1953
2	79.7	IN 2010
3	79.1	IN 1975
4	78.7	IN 1962
5	78.2	IN 1991
6	78.1	IN 1959
7	78.0	IN 1955
8	77.9	IN 1967
9	77.8	IN 1950
10	77.5	IN 1990
10	77.5	IN 1963
10	77.5	IN 1956

WARMEST JUNE`S

1	83.6	IN 1981
2	83.5	IN 2010
3	83.3	IN 1998
4	82.9	IN 1969
4	82.9	IN 1952
6	82.7	IN 1950
7	82.5	IN 1958
8	82.4	IN 1977
9	82.3	IN 2009
10	82.2	IN 1964

WARMEST JULY`S

1	83.7	IN 1969
2	83.5	IN 1979
3	83.2	IN 1981
4	83.1	IN 1953
5	83.0	IN 1998
6	82.9	IN 1952
7	82.7	IN 1963
8	82.6	IN 1970
9	82.4	IN 1987
9	82.4	IN 1973
9	82.4	IN 1972
9	82.4	IN 1960

JULY 2010 AVERAGE THRU THE 25TH AT INV1= 83.5 (TIED 2ND)

NORMAL FOR MAY AT INV1 = 75.3

NORMAL FOR JUNE AT INV1 = 80.1

NORMAL FOR JULY AT INV1 = 81.5

RECORDS BEGAN JULY 1948

WARMEST MAY/JUNE

1	81.6	IN 2010
2	80.8	IN 1953
3	80.3	IN 1975
4	80.2	IN 1950
5	79.8	IN 1952
6	79.7	IN 1969
7	79.5	IN 2009
7	79.5	IN 1963
9	79.4	IN 1959
9	79.4	IN 1958

WARMEST JUNE/JULY

1	83.4	IN 1981
2	83.3	IN 1969
3	83.2	IN 1998
4	82.9	IN 1952
5	82.4	IN 1958
5	82.4	IN 1953
7	82.3	IN 1977
8	82.1	IN 2009
8	82.1	IN 1963
10	82.0	IN 1954

WARMEST MAY/JUNE/JULY

1	81.6	IN 1953
2	81.1	IN 1969
3	80.9	IN 1952
4	80.6	IN 1963
5	80.5	IN 1981
5	80.5	IN 1975
7	80.4	IN 1998
7	80.4	IN 1958
9	80.3	IN 2009
9	80.3	IN 1959

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT INV1 = 83.5 (1ST)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT INV1 = 82.1 (1ST)

NORMAL FOR MAY/JUNE AT INV1 = 77.7

NORMAL FOR JUNE/JULY AT INV1 = 80.8

NORMAL FOR MAY/JUNE/JULY AT INV1 = 79.0

RECORDS BEGAN JULY 1948

BROOKSVILLE CHIN HILL:

WARMEST MAY`S

1 80.6 IN 1927
 2 80.3 IN 1933
 3 79.9 IN 2010
 3 79.6 IN 1995
 5 79.4 IN 1899
 6 79.2 IN 1929
 7 79.1 IN 1962
 8 79.0 IN 1902
 9 78.7 IN 1953
 9 78.7 IN 1935

WARMEST JUNE`S

1 84.2 IN 1927
 2 83.4 IN 1998
 3 82.6 IN 2010
 3 82.6 IN 2009
 5 82.2 IN 1909
 6 82.1 IN 1964
 6 82.1 IN 1914
 8 81.9 IN 1935
 9 81.7 IN 1944
 10 81.5 IN 1952

WARMEST JULY`S

1 83.6 IN 1930
 1 83.6 IN 1927
 3 83.5 IN 1931
 4 83.3 IN 1942
 5 83.1 IN 1928
 6 82.9 IN 1981
 7 82.7 IN 2005
 7 82.7 IN 1993
 7 82.7 IN 1992
 10 82.4 IN 1900

JULY 2010 AVERAGE THRU THE 25TH AT BROF1= 82.2 (14TH)

NORMAL FOR MAY AT BROF1 = 76.3

NORMAL FOR JUNE AT BROF1 = 80.0

NORMAL FOR JULY AT BROF1 = 81.2

RECORDS BEGAN JANUARY 1892

WARMEST MAY/JUNE

1 82.4 IN 1927
 2 81.2 IN 2010
 3 80.3 IN 2009
 3 80.3 IN 1935
 5 80.0 IN 1933
 6 79.9 IN 1998
 6 79.9 IN 1929
 6 79.9 IN 1914
 9 79.7 IN 1902
 10 79.5 IN 1962

WARMEST JUNE/JULY

1 83.9 IN 1927
 2 82.4 IN 1998
 3 82.1 IN 1931
 3 82.1 IN 1928
 5 82.0 IN 2009
 6 81.8 IN 1993
 7 81.6 IN 2006
 7 81.6 IN 1934
 9 81.5 IN 1992
 9 81.5 IN 1897

WARMEST MAY/JUNE/JULY

1 82.8 IN 1927
 2 80.7 IN 2009
 2 80.7 IN 1933
 4 80.5 IN 1935
 4 80.5 IN 1902
 6 80.4 IN 1998
 6 80.4 IN 1962
 8 80.2 IN 1995
 8 80.2 IN 1929
 8 80.2 IN 1914

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT BROF1= 82.5 (2ND)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT BROF1= 81.5 (2ND)

NORMAL FOR MAY/JUNE AT BROF1 = 78.2

NORMAL FOR JUNE/JULY AT BROF1 = 80.6

NORMAL FOR MAY/JUNE/JULY AT BROF1 = 79.2

RECORDS BEGAN JANUARY 1892

TAMPA:

WARMEST MAY`S

1	81.7	IN 1995
2	81.5	IN 1975
3	81.2	IN 1991
4	80.9	IN 2010
5	80.5	IN 1990
6	80.3	IN 2000
7	80.0	IN 2003
8	79.9	IN 2002
9	79.7	IN 2008
9	79.7	IN 1985

WARMEST JUNE`S

1	85.5	IN 1998
2	84.8	IN 2010
3	83.7	IN 1985
3	83.7	IN 1977
5	83.2	IN 2008
5	83.2	IN 2004
7	83.1	IN 1952
7	83.1	IN 1944
9	83.0	IN 2009
10	82.7	IN 1987
10	82.7	IN 1927

WARMEST JULY`S

1	84.9	IN 1932
2	84.6	IN 1942
3	84.2	IN 2005
4	84.0	IN 1980
4	84.0	IN 1931
6	83.9	IN 1979
7	83.8	IN 1993
7	83.8	IN 1992
9	83.7	IN 2007
9	83.7	IN 1996

JULY 2010 AVERAGE THRU THE 25TH AT TPA = 83.7 (TIED 9TH)

NORMAL FOR MAY AT TPA = 77.6

NORMAL FOR JUNE AT TPA = 81.5

NORMAL FOR JULY AT TPA = 82.5

RECORDS BEGAN APRIL 1890

WARMEST MAY/JUNE

1	82.8	IN 2010
2	82.3	IN 1998
3	82.0	IN 1975
4	81.7	IN 1985
5	81.6	IN 1990
6	81.5	IN 2008
7	81.3	IN 2000
7	81.3	IN 1991
9	81.0	IN 2004
9	81.0	IN 1995

WARMEST JUNE/JULY

1	84.5	IN 1998
2	83.3	IN 1977
3	83.1	IN 2009
4	83.0	IN 1985
4	83.0	IN 1942
6	82.9	IN 2004
6	82.9	IN 1992
6	82.9	IN 1987
6	82.9	IN 1975
6	82.9	IN 1944

WARMEST MAY/JUNE/JULY

1	82.7	IN 1998
2	82.4	IN 1975
3	81.9	IN 1990
3	81.9	IN 1985
5	81.6	IN 2009
5	81.6	IN 2008
5	81.6	IN 2004
5	81.6	IN 2000
5	81.6	IN 1995
5	81.6	IN 1991

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT TPA = 84.3 (2ND)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT TPA = 83.1 (1ST)

NORMAL FOR MAY/JUNE AT TPA = 79.6

NORMAL FOR JUNE/JULY AT TPA = 82.0

NORMAL FOR MAY/JUNE/JULY AT TPA = 80.5

RECORDS BEGAN APRIL 1890

ST PETERSBURG:

WARMEST MAY`S

1 82.0 IN 2010
 2 81.3 IN 1998
 3 81.2 IN 1977
 4 80.9 IN 1991
 5 80.8 IN 1990
 5 80.8 IN 2000
 7 80.3 IN 1952
 8 80.1 IN 1944
 8 80.1 IN 2009
 8 80.1 IN 1990

WARMEST JUNE`S

1 86.5 IN 2010
 2 84.9 IN 1995
 3 84.5 IN 1933
 4 84.2 IN 1991
 4 84.2 IN 1975
 6 84.1 IN 1935
 7 84.0 IN 2003
 7 84.0 IN 2000
 9 83.0 IN 1978
 10 82.7 IN 1953
 10 82.7 IN 1987
 10 82.7 IN 1927

WARMEST JULY`S

1 85.7 IN 1932
 2 85.3 IN 1931
 3 85.0 IN 2005
 4 84.9 IN 1987
 4 84.9 IN 1979
 6 84.8 IN 2007
 7 84.7 IN 1992
 8 84.6 IN 1973
 8 84.6 IN 1970
 10 84.5 IN 1969
 10 84.5 IN 1930

JULY 2010 AVERAGE THRU THE 25TH AT SPG = 84.8 (TIED 6TH)

NORMAL FOR MAY AT SPG = 78.3

NORMAL FOR JUNE AT SPG = 82.2

NORMAL FOR JULY AT SPG = 83.4

RECORDS BEGAN AUGUST 1914

WARMEST MAY/JUNE

1 84.2 IN 2010
 2 82.0 IN 1998
 3 81.8 IN 1977
 3 81.8 IN 1991
 3 81.8 IN 1990
 6 81.7 IN 2000
 6 81.7 IN 1952
 6 81.7 IN 1944
 9 81.6 IN 2009
 9 81.6 IN 1990

WARMEST JUNE/JULY

1 84.6 IN 1998
 2 84.5 IN 1987
 3 84.4 IN 1973
 3 84.4 IN 1969
 5 84.3 IN 1977
 6 84.1 IN 1981
 7 84.0 IN 2009
 7 84.0 IN 1931
 9 83.8 IN 1980
 9 83.8 IN 1979
 9 83.8 IN 1932

WARMEST MAY/JUNE/JULY

1 82.8 IN 2010
 2 82.6 IN 1935
 2 82.6 IN 1998
 4 82.5 IN 1991
 4 82.5 IN 1987
 4 82.5 IN 2009
 4 82.5 IN 1977
 8 82.2 IN 1975
 8 82.2 IN 1978
 8 82.2 IN 1973

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT SPG = 85.7 (1ST)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT SPG = 84.4 (1ST)

NORMAL FOR MAY/JUNE AT SPG = 80.3

NORMAL FOR JUNE/JULY AT SPG = 82.8

NORMAL FOR MAY/JUNE/JULY AT SPG = 81.3

RECORDS BEGAN AUGUST 1914

LAKELAND:

WARMEST MAY`S

1 82.9 IN 1995
 2 80.9 IN 1996
 3 80.8 IN 1991
 4 80.6 IN 2010
 5 80.5 IN 1990
 6 80.4 IN 1994
 6 80.4 IN 1933
 8 79.9 IN 1935
 9 79.7 IN 1989
 9 79.7 IN 1927

WARMEST JUNE`S

1 84.8 IN 2010
 2 84.5 IN 1998
 3 83.5 IN 1985
 4 83.4 IN 1977
 5 83.3 IN 1987
 5 83.3 IN 1981
 7 83.0 IN 1990
 7 83.0 IN 1989
 9 82.9 IN 1927
 10 82.8 IN 1994

WARMEST JULY`S

1 84.9 IN 1992
 2 84.8 IN 1987
 3 84.4 IN 1993
 3 84.4 IN 1932
 5 84.2 IN 1942
 6 84.0 IN 1995
 7 83.9 IN 1989
 8 83.7 IN 1981
 9 83.6 IN 1998
 9 83.6 IN 1990

JULY 2010 AVERAGE THRU THE 25TH AT LLDF1 = 83.8 (8TH)

NORMAL FOR MAY AT LLDF1 = 78.9

NORMAL FOR JUNE AT LLDF1 = 82.7

NORMAL FOR JULY AT LLDF1 = 84.0

RECORDS BEGAN JANUARY 1915

WARMEST MAY/JUNE

1 82.7 IN 2010
 2 82.5 IN 1995
 3 81.7 IN 1990
 4 81.6 IN 1996
 4 81.6 IN 1994
 6 81.4 IN 1985
 7 81.3 IN 1991
 7 81.3 IN 1989
 9 81.0 IN 1998
 10 80.8 IN 1987
 10 80.8 IN 1927

WARMEST JUNE/JULY

1 84.0 IN 1998
 1 84.0 IN 1987
 3 83.7 IN 1992
 4 83.5 IN 1989
 4 83.5 IN 1981
 6 83.3 IN 1993
 6 83.3 IN 1990
 8 83.1 IN 1995
 9 83.0 IN 1985
 9 83.0 IN 1977

WARMEST MAY/JUNE/JULY

1 83.0 IN 1995
 2 82.4 IN 1990
 3 82.2 IN 1989
 4 82.1 IN 1996
 4 82.1 IN 1987
 6 81.9 IN 1998
 6 81.9 IN 1994
 8 81.8 IN 1991
 8 81.8 IN 1985
 10 81.7 IN 1927

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT LLDF1 = 84.4 (1ST)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT LLDF1 = 83.0 (TIED 1ST)

NORMAL FOR MAY/JUNE AT LLDF1 = 80.8

NORMAL FOR JUNE/JULY AT LLDF1 = 83.4

NORMAL FOR MAY/JUNE/JULY AT LLDF1 = 81.9

RECORDS BEGAN JANUARY 1915

SARASOTA-BRADENTON:

WARMEST MAY`S

1 80.7 IN 1995
 2 79.8 IN 1991
 3 79.6 IN 2010
 4 79.5 IN 1990
 5 78.7 IN 2003
 6 78.3 IN 1950
 6 78.3 IN 1946
 8 78.2 IN 2008
 8 78.2 IN 1994
 8 78.2 IN 1935

WARMEST JUNE`S

1 83.9 IN 1998
 2 83.5 IN 2010
 3 82.1 IN 1950
 4 82.0 IN 2009
 5 81.8 IN 1994
 5 81.8 IN 1993
 5 81.8 IN 1985
 5 81.8 IN 1981
 9 81.7 IN 2004
 9 81.7 IN 1990

WARMEST JULY`S

1 84.2 IN 1998
 2 84.0 IN 1962
 3 83.4 IN 2006
 4 83.3 IN 2005
 5 83.2 IN 1995
 5 83.2 IN 1992
 7 83.1 IN 1993
 7 83.1 IN 1989
 9 83.0 IN 1987
 10 82.9 IN 2009
 10 82.9 IN 2007

JULY 2010 AVERAGE THRU THE 25TH AT SRQ = 83.0 (TIED 9TH)

NORMAL FOR MAY AT SRQ = 76.4

NORMAL FOR JUNE AT SRQ = 80.6

NORMAL FOR JULY AT SRQ = 81.9

RECORDS BEGAN JANUARY 1911

WARMEST MAY/JUNE

1 81.5 IN 2010
 2 80.7 IN 1991
 3 80.6 IN 1990
 4 80.5 IN 1995
 5 80.4 IN 1998
 6 80.2 IN 1950
 7 80.0 IN 1994
 8 79.8 IN 2008
 8 79.8 IN 2003
 10 79.6 IN 2009

WARMEST JUNE/JULY

1 84.1 IN 1998
 2 82.5 IN 2009
 3 82.4 IN 1993
 3 82.4 IN 1989
 5 82.3 IN 1992
 5 82.3 IN 1990
 5 82.3 IN 1987
 8 82.1 IN 1991
 8 82.1 IN 1962
 10 82.0 IN 2006
 10 82.0 IN 1981

WARMEST MAY/JUNE/JULY

1 81.7 IN 1998
 2 81.4 IN 1995
 3 81.3 IN 1991
 3 81.3 IN 1990
 5 80.7 IN 2009
 6 80.6 IN 2003
 6 80.6 IN 1994
 8 80.5 IN 1989
 9 80.4 IN 2008
 9 80.4 IN 1987

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT SRQ = 83.3 (2ND)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT SRQ = 81.9 (1ST)

NORMAL FOR MAY/JUNE AT SRQ = 78.5

NORMAL FOR JUNE/JULY AT SRQ = 81.3

NORMAL FOR MAY/JUNE/JULY AT SRQ = 79.6

RECORDS BEGAN JANUARY 1911

AVON PARK:

WARMEST MAY`S

1	81.0	IN	1995
2	80.5	IN	1927
3	80.0	IN	2003
3	80.0	IN	1938
3	80.0	IN	1905
6	79.9	IN	1953
7	79.7	IN	1995
7	79.7	IN	1915
9	79.5	IN	2002
10	79.4	IN	2010*
10	79.4	IN	1933

WARMEST JUNE`S

1	83.8	IN	1969
2	83.7	IN	2010
2	83.7	IN	1998
4	83.6	IN	1927
5	82.9	IN	1950
6	82.8	IN	1952
7	82.7	IN	1958
7	82.7	IN	1924
9	82.4	IN	1985
10	82.3	IN	1981
10	82.3	IN	1973

WARMEST JULY`S

1	84.7	IN	1969
2	84.3	IN	1962
3	84.0	IN	1932
4	83.9	IN	1961
5	83.7	IN	1942
6	83.5	IN	1958
7	83.2	IN	1998
7	83.2	IN	1960
9	83.0	IN	1987
9	83.0	IN	1939

JULY 2010 AVERAGE THRU THE 25TH AT AVPF1 = 83.3 (7TH)

NORMAL FOR MAY AT AVPF1 = 76.4

NORMAL FOR JUNE AT AVPF1 = 80.0

NORMAL FOR JULY AT AVPF1 = 81.2

RECORDS BEGAN DECEMBER 1901

WARMEST MAY/JUNE

1	82.0	IN	1927
2	81.5	IN	2010
3	81.4	IN	1990
3	81.4	IN	1969
5	80.9	IN	1950
6	80.6	IN	1953
7	80.4	IN	1998
7	80.4	IN	1952
9	80.3	IN	1905
10	80.2	IN	2003
10	80.2	IN	1924
10	80.2	IN	1915

WARMEST JUNE/JULY

1	84.2	IN	1969
2	83.5	IN	1998
3	83.1	IN	1958
4	82.8	IN	1961
5	82.7	IN	1962
5	82.7	IN	1952
5	82.7	IN	1927
8	82.4	IN	1950
8	82.4	IN	1942
10	82.3	IN	1940
10	82.3	IN	1932
10	82.3	IN	1924

WARMEST MAY/JUNE/JULY

1	82.5	IN	1969
2	82.0	IN	1927
3	81.7	IN	1990
4	81.5	IN	1962
5	81.3	IN	1998
5	81.3	IN	1950
7	81.2	IN	1953
7	81.2	IN	1952
9	81.1	IN	1961
10	81.0	IN	1959
10	81.0	IN	1958

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT AVPF1 = 83.5 (TIED 2ND)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT AVPF1 = 82.0 (TIED 2ND)

NORMAL FOR MAY/JUNE AT AVPF1 = 78.2

NORMAL FOR JUNE/JULY AT AVPF1 = 80.6

NORMAL FOR MAY/JUNE/JULY AT AVPF1 = 79.2

RECORDS BEGAN DECEMBER 1901

FORT MYERS:

WARMEST MAY`S

1	82.0	IN 1995
2	81.2	IN 2010
3	80.8	IN 1991
4	80.7	IN 1975
5	80.5	IN 2008
5	80.5	IN 2003
7	80.4	IN 1994
7	80.4	IN 1990
7	80.4	IN 1989
10	80.2	IN 1905

WARMEST JUNE`S

1	85.9	IN 1981
2	85.3	IN 2010
3	84.5	IN 1998
4	83.8	IN 1994
5	83.7	IN 1985
5	83.7	IN 1982
7	83.4	IN 1980
8	83.2	IN 2009
8	83.2	IN 1944
10	83.1	IN 1990

WARMEST JULY`S

1	85.7	IN 1981
1	85.7	IN 1979
3	84.5	IN 1992
4	84.4	IN 1942
5	84.3	IN 1982
5	84.3	IN 1980
7	84.2	IN 1962
8	84.1	IN 1987
9	84.0	IN 2005
10	83.9	IN 1998
10	83.9	IN 1963

JULY 2010 AVERAGE THRU THE 25TH AT FMY = 83.9 (TIED 10TH)

[NORMAL](#) FOR MAY AT FMY = 78.8

[NORMAL](#) FOR JUNE AT FMY = 82.2

[NORMAL](#) FOR JULY AT FMY = 83.0

RECORDS BEGAN JANUARY 1902

WARMEST MAY/JUNE

1	83.2	IN 2010
2	82.5	IN 1981*
3	82.1	IN 1994
4	82.0	IN 1998
5	81.8	IN 1995
5	81.8	IN 1991
5	81.8	IN 1985
8	81.7	IN 1990
9	81.6	IN 2008
10	81.5	IN 2009
10	81.5	IN 1975

WARMEST JUNE/JULY

1	85.8	IN 1981
2	84.2	IN 1998
3	84.1	IN 1979
4	84.0	IN 1982
5	83.9	IN 1980
5	83.5	IN 1987
7	83.4	IN 1942
8	83.3	IN 2009
8	83.3	IN 1993
8	83.3	IN 1990

WARMEST MAY/JUNE/JULY

1	83.6	IN 1981
2	82.6	IN 1998
3	82.4	IN 1979
4	82.3	IN 1995
4	82.3	IN 1990
6	82.2	IN 2009
6	82.2	IN 1994
6	82.2	IN 1991
9	81.9	IN 2008
9	81.9	IN 1985
9	81.9	IN 1980

JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT FMY = 84.7 (2ND)

MAY/JUNE/JULY 2010 AVERAGE THRU JULY 25TH AT FMY = 83.4 (2ND)

[NORMAL](#) FOR MAY/JUNE AT FMY = 80.5

[NORMAL](#) FOR JUNE/JULY AT FMY = 82.6

[NORMAL](#) FOR MAY/JUNE/JULY AT FMY = 81.3

RECORDS BEGAN JANUARY 1902

FOR MORE LOCAL [CLIMATE](#) INFORMATION...PLEASE VISIT OUR WEB PAGE AT
[HTTP://WEATHER.GOV/TAMPABAY](http://weather.gov/tampabay) AND CLICK ON THE "LOCAL" LINK UNDER
 THE [CLIMATE](#) SUBSECTION ON THE LEFT SIDE OF THE PAGE.

\$\$

PRC